

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : Durafinish, All-Cure
Product code : S295, S296

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only
Use of the substance/mixture : Composite Glaze

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Parkell Inc.
300 Executive Drive
Edgewood, NY 11717
T (631) 249-1134

Authorized Representative in Europe (Regulatory affairs only)

Directa AB
P.O. Box 723, Finvids väg 8
SE-194 27 Upplands Väsby
Sweden

1.4. Emergency telephone number

Emergency number : INFOTRAC 1-352-323-3500 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of damaging fertility. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Warning

Hazardous ingredients :

Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide; 4-Methoxyphenol; Methyl methacrylate; Pentaerythritol triacrylate; Trimethylolpropane triacrylate; 2-Propenoic acid, 2,2-bis[[[1-oxo-2-propenyl]oxy]methyl]-1,3-propanediyl ester

Hazard statements (CLP) :

H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.

Durafinish, All-Cure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP)	H319 - Causes serious eye irritation. H361 - Suspected of damaging fertility or the unborn child. H412 - Harmful to aquatic life with long lasting effects. : P201 - Obtain special instructions before use. P261 - Avoid breathing mist/vapours. P264 - Wash hands thoroughly after handling. P280 - Wear protective gloves, cold insulating gloves, protective clothing. P302+P352 - IF ON SKIN: Wash with plenty of water. P308 + P313 – IF exposed or concerned: Get medical advice/attention.
--------------------------------	--

2.3. Other hazards not contributing to the classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]-	(CAS-No.) 41637-38-1	30 - 55	Aquatic Chronic 4, H413
Trimethylolpropane triacrylate	(CAS-No.) 15625-89-5 (EC-No.) 239-701-3 (EC Index-No.) 607-111-00-9	25 - 38	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hexafunctional urethane acrylate ester	(CAS-No.) Proprietary	4,5 - 18	Skin Irrit. 2, H315
Pentaerythritol triacrylate	(CAS-No.) 3524-68-3 (EC-No.) 222-540-8 (EC Index-No.) 607-110-00-3	4,5 - 18	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide	(CAS-No.) 75980-60-8 (EC-No.) 278-355-8 (EC Index-No.) 015-203-00-X	1 - 10	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Chronic 2, H411
2-Propenoic acid, 2,2-bis[[[1-oxo-2-propenyl)oxy]methyl]-1,3-propanediyl ester	(CAS-No.) 4986-89-4 (EC-No.) 225-644-1 (EC Index-No.) 607-122-00-9	1,5 - 9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Methyl methacrylate	(CAS-No.) 80-62-6 (EC-No.) 201-297-1 (EC Index-No.) 607-035-00-6	1 - 3	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Skin Sens. 1, H317 STOT SE 3, H335

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: Allow victim to breathe fresh air. Allow the victim to rest. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Rinse immediately with plenty of water for 15 minutes. Remove/take off immediately all contaminated clothing. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Prolonged exposure to liquid may cause irritation to respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.
Symptoms/effects upon intravenous administration	: Suspected of damaging fertility or the unborn child.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Durafinish, All-Cure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Not classified as flammable but will burn. Hazardous decomposition products: Carbon oxides.
Explosion hazard : Product is not explosive.
Reactivity in case of fire : Stable under normal conditions.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin, eyes and clothes. Avoid breathing mist or vapour . Wear recommended personal protective equipment.

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

- Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Wear personal protection equipment. Avoid contact with eyes, skin and clothing. Dispose of contents/container to comply with applicable local, national and international regulation.

6.4. Reference to other sections

- Refer to sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Provide good ventilation in process area to prevent formation of vapour. Avoid breathing mist/vapours. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Protect containers against physical damage. Contaminated work clothing should not be allowed out of the workplace. Avoid contact with skin, eyes and clothing.
Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well ventilated place away from incompatible materials and ignition sources. Keep container closed when not in use. Store locked up. Keep locked up and out of reach of children.
Incompatible materials : Oxidizing agent. Strong acids. Chloroform. Alkalis.

7.3. Specific end use(s)

- Refer to section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Methyl methacrylate (80-62-6)		
EU	IOELV TWA (ppm)	50 ppm
EU	IOELV STEL (ppm)	100 ppm
Austria	MAK (mg/m ³)	210 mg/m ³
Austria	MAK (ppm)	50 ppm
Austria	MAK Short time value (mg/m ³)	420 mg/m ³
Austria	MAK Short time value (ppm)	100 ppm

Durafinish, All-Cure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methyl methacrylate (80-62-6)		
Belgium	Limit value (mg/m ³)	208 mg/m ³
Belgium	Limit value (ppm)	50 ppm
Belgium	Short time value (mg/m ³)	416 mg/m ³
Belgium	Short time value (ppm)	100 ppm
Bulgaria	OEL TWA (ppm)	50 ppm
Bulgaria	OEL STEL (ppm)	100 ppm
Croatia	GVI (granična vrijednost izloženosti) (ppm)	50 ppm
Croatia	KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	100 ppm
Cyprus	OEL TWA (ppm)	50 ppm
Cyprus	OEL STEL (ppm)	100 ppm
Czech Republic	Expoziční limity (PEL) (mg/m ³)	50 mg/m ³
Denmark	Grænseværdie (langvarig) (mg/m ³)	102 mg/m ³
Denmark	Grænseværdie (langvarig) (ppm)	25 ppm
Estonia	OEL TWA (mg/m ³)	200 mg/m ³
Estonia	OEL TWA (ppm)	50 ppm
Estonia	OEL STEL (mg/m ³)	600 mg/m ³
Estonia	OEL STEL (ppm)	150 ppm
Finland	HTP-arvo (8h) (mg/m ³)	42 mg/m ³
Finland	HTP-arvo (8h) (ppm)	10 ppm
Finland	HTP-arvo (15 min)	210 mg/m ³
Finland	HTP-arvo (15 min) (ppm)	50 ppm
France	VME (mg/m ³)	205 mg/m ³ (restrictive limit)
France	VME (ppm)	50 ppm (restrictive limit)
France	VLE (mg/m ³)	410 mg/m ³ (restrictive limit)
France	VLE (ppm)	100 ppm (restrictive limit)
Germany	TRGS 900 Occupational exposure limit value (mg/m ³)	210 mg/m ³ (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Germany	TRGS 900 Occupational exposure limit value (ppm)	50 ppm (The risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Gibraltar	Eight hours ppm	50 ppm
Gibraltar	Short-term ppm	100 ppm
Greece	OEL TWA (ppm)	50 ppm
Greece	OEL STEL (ppm)	100 ppm
Hungary	AK-érték	208 mg/m ³
Hungary	CK-érték	415 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	50 ppm
Ireland	OEL (15 min ref) (ppm)	100 ppm
Italy	OEL TWA (ppm)	50 ppm
Italy	OEL STEL (ppm)	100 ppm
Latvia	OEL TWA (mg/m ³)	10 mg/m ³
Lithuania	IPRV (mg/m ³)	200 mg/m ³
Lithuania	IPRV (ppm)	50 ppm
Lithuania	TPRV (mg/m ³)	400 mg/m ³
Lithuania	TPRV (ppm)	100 ppm
Luxembourg	OEL TWA (ppm)	50 ppm
Luxembourg	OEL STEL (ppm)	100 ppm
Malta	OEL TWA (ppm)	50 ppm
Malta	OEL STEL (ppm)	100 ppm
Netherlands	Grenswaarde TGG 8H (mg/m ³)	205 mg/m ³
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	410 mg/m ³

Durafinish, All-Cure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methyl methacrylate (80-62-6)		
Poland	NDS (mg/m ³)	100 mg/m ³
Poland	NDSch (mg/m ³)	300 mg/m ³ (inhalable fraction)
Portugal	OEL TWA (ppm)	50 ppm (indicative limit value)
Portugal	OEL STEL (ppm)	100 ppm (indicative limit value)
Romania	OEL TWA (mg/m ³)	205 mg/m ³
Romania	OEL TWA (ppm)	50 ppm
Romania	OEL STEL (mg/m ³)	410 mg/m ³
Romania	OEL STEL (ppm)	100 ppm
Slovakia	NPHV (priemerná) (mg/m ³)	210 mg/m ³
Slovakia	NPHV (priemerná) (ppm)	50 ppm
Slovakia	NPHV (Hraničná) (mg/m ³)	420 mg/m ³
Slovenia	OEL TWA (mg/m ³)	210 mg/m ³
Slovenia	OEL TWA (ppm)	50 ppm
Slovenia	OEL STEL (mg/m ³)	420 mg/m ³
Slovenia	OEL STEL (ppm)	100 ppm
Spain	VLA-ED (ppm)	50 ppm (indicative limit value)
Spain	VLA-EC (ppm)	100 ppm
Sweden	nivågränsvärde (NVG) (mg/m ³)	200 mg/m ³
Sweden	nivågränsvärde (NVG) (ppm)	50 ppm
Sweden	kortidsvärde (KTV) (mg/m ³)	400 mg/m ³
Sweden	kortidsvärde (KTV) (ppm)	100 ppm
United Kingdom	WEL TWA (mg/m ³)	208 mg/m ³
United Kingdom	WEL TWA (ppm)	50 ppm
United Kingdom	WEL STEL (mg/m ³)	416 mg/m ³
United Kingdom	WEL STEL (ppm)	100 ppm
Russian Federation	OEL TWA (mg/m ³)	10 mg/m ³ (vapor)
Norway	Grenseverdier (AN) (mg/m ³)	100 mg/m ³
Norway	Grenseverdier (AN) (ppm)	25 ppm
Norway	Grenseverdier (Korttidsverdi) (mg/m ³)	400 mg/m ³ (value from the regulation)
Norway	Grenseverdier (Korttidsverdi) (ppm)	100 ppm (value from the regulation)
Switzerland	MAK (mg/m ³)	210 mg/m ³
Switzerland	MAK (ppm)	50 ppm
Switzerland	KZGW (mg/m ³)	420 mg/m ³
Switzerland	KZGW (ppm)	100 ppm
Turkey	OEL TWA (ppm)	50 ppm
Turkey	OEL STEL (ppm)	100 ppm
Australia	TWA (mg/m ³)	208 mg/m ³
Australia	TWA (ppm)	50 ppm
Australia	STEL (mg/m ³)	416 mg/m ³
Australia	STEL (ppm)	100 ppm

8.2. Exposure controls

Appropriate engineering controls:

Provide adequate ventilation. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection:

Impervious gloves e.g. PVC, nitrile rubber, butyl rubber (to European standard EN 374 or equivalent)

Eye protection:

Chemical goggles or safety glasses (to European standard EN 166 or equivalent)

Skin and body protection:

Wear suitable protective clothing

Durafinish, All-Cure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory protection:

NIOSH/MSHA approved air purifying respirator should be used if operating conditions produce airborne concentrations that exceed exposure limits for any individual components. If conditions immediately dangerous to life or health exist, use NIOSH/MSHA self contained breathing apparatus (SCBA).

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless.
Odour	: Ester-like.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93 °C (estimated)
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1,2 (Specific gravity)
Solubility	: insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Direct sunlight. Keep out of reach of children. Ignition sources.

10.5. Incompatible materials

Strong acids. Oxidising agents. Chloroform. alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition products. Carbon oxides (CO, CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Durafinish, All-Cure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methyl methacrylate (80-62-6)	
LD50 oral rat	8420 - 10000 mg/kg
LD50 dermal rabbit	5000 - 7500 mg/kg
LC50 inhalation rat (ppm)	7093 ppm/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	78000 mg/l/4h

Pentaerythritol triacrylate (3524-68-3)	
LD50 oral rat	1350 mg/kg

Trimethylolpropane triacrylate (15625-89-5)	
LD50 oral	4200 mg/kg
LD50 dermal rabbit	5000 mg/kg
LD50 dermal	4280 mg/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity - Description	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

SECTION 12: Ecological information

12.1. Toxicity

Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Harmful to aquatic life with long lasting effects.

Methyl methacrylate (80-62-6)	
LC50 fish 1	259 (243 - 275) mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	158,1 (125,5 - 190,7) mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	69 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 96h algae (1)	170 mg/l (Species: Pseudokirchneriella subcapitata)

12.2. Persistence and degradability

Durafinish, All-Cure	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Durafinish, All-Cure	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose of contents/container to comply with applicable local, national and international regulation.
Ecology - waste materials	: Avoid release to the environment.

Durafinish, All-Cure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.4. Packing group				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
14.5. Environmental hazards				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Not regulated

- Transport by sea

Not regulated

- Air transport

Not regulated

- Inland waterway transport

Not regulated

- Rail transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen : Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide is listed

SZW-lijst van mutagene stoffen : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : None of the components are listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : Diphenyl-2,4,6-trimethylbenzoyl phosphine oxide is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

Durafinish, All-Cure

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

PVC	Polyvinyl chloride
-----	--------------------

Sources of Key data : According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830. Supplier's Safety Data Sheet.

Other information : None.

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 4	Hazardous to the aquatic environment — Chronic Hazard, Category 4
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Irrit. 2	H319	Calculation method
Skin Sens. 1	H317	Calculation method
Repr. 2	H361	Calculation method
Aquatic Chronic 3	H412	Calculation method

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product